

EDGE 3 STRETTO WITH TB3 SEATING

DEALERS DETAILS

Dealers Name			
Order Date			
Address			
	Postcode		
Phone		Email	
PO No		Order Ref	

DELIVERY DETAILS

Dealers Address			
	Postcode		
Quantum Specialist			
Ⓢ Clients Weight (required for suspension settings)			

BASE MODEL

£6,550

14 Colour Options
 Height Adj. Removable Arm Supports
 Centre Mount Foot Platform
 TB3 Seating
 12.5" Flat Free Drive Tyres
 2" x 5" Flat Free Front Castors

2" x 6" Flat Free Rear Castors
 SRS Suspension System
 QLNE Control System
 2 x 62 ah Batteries
 4 Mph (6 Km/h) Motors
 Max User Weight: 21 st 6lbs. (136 kg)



Standard = Standard Factory Feature
 FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

3" x 12.5" Flat Free Black Tyres.	Standard
3" x 12.5" Pneumatic Black Tyres.	FOC
3" x 14" Flat Free Black Tyres. <i>With matching colour wheel accents.</i>	£50
3" x 14" Pneumatic Black Tyres. <i>With matching colour wheel accents.</i>	£50
4" x 14" Pneumatic Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5".</i>	£220
4" x 14" Flat Free Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5".</i>	£320

COLOURS

Back in Black	Standard	Lemon Crush*	FOC
Green Machine	FOC	Night Train*	FOC
Midnight Blue	FOC	Evolution Orange*	FOC
Electric Blue	FOC	Military Green*	FOC
Blue Jean	FOC	Grey Street*	FOC
Deep Purple	FOC	Raspberry Beret*	FOC
Red Corvette	FOC	Custom Hydro Dip*	£600
Pretty in Pink	FOC		

* Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT PACKAGES - SEAT WIDTH

☐	12"-16"W
☐	14"-16"W
☐	16"-20"W
Set width at:	

SEAT PACKAGES - SEAT DEPTH

☐	12"-16"D
☐	14"-16"D
☐	16"-20"D
Set depth at:	

Minimum seat size of 14"W x 14"D required for manually adjustable and powered centre mount foot platform when iLevel is selected.

STEALTH SEAT CUSHIONS

☐	No Seat Cushion Required	FOC
☐	Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <i>158.7 Kg weight limit.</i>	Standard
☐	Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	£82
☐	TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	£99
☐	Glacial SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>158.7 Kg weight limit.</i>	£126
☐	Solution SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. <i>158.7 Kg weight limit.</i>	£126
☐	Essence SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover. <i>158.7 Kg weight limit.</i>	£148
☐	Premiere P: Positioning, 4-way stretch, Coolcore cover. <i>158.7 Kg weight limit.</i>	£148
☐	Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. <i>158.7 Kg weight limit.</i>	£209
☐	Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. <i>158.7 Kg weight limit.</i>	£209

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

☐	Static Seat.	Standard
☐	TRU-Balance 3 Powered Seat Tilt. <i>0° to 50° COG tilt. Uses 1 power option.</i>	£950
☐	iLevel Powered Seat Lift & Tilt. <i>12" lift & 50° tilt. Up to 3.5 Mph drive speed while elevated. Uses 2 power options. Not available with VR2.</i>	£2250
Static Seat to Floor Height. <i>From seat pan.</i>		☐ 16" ☐ 17" ☐ 18"
Powered Tilt Seat to Floor Height. <i>From seat pan.</i>		☐ 17.5" ☐ 18.5" ☐ 19.5"
Powered iLevel Lift & Tilt Seat to Floor Height. <i>From seat pan.</i>		☐ 18" ☐ 19" ☐ 20"

BACKREST SPECIFICATIONS

☐	TRU-Balance 3 Back Support System. <i>Select TB3 back options below. Ignore all 'Back Cane' options.</i>	Standard
☐	Back Canes Only System. <i>Not available with Power recline or TB3 flip-back arm supports. Move directly to 'Back Cane Only Support Options' if selected.</i>	FOC

Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a pair of plastic lateral wedge inserts.

TB3 BACK SUPPORT

☐	Active Contour Back Support with TRU-Comfort 2 Back Cushion and Lateral Wedges. <i>Select size in Back Support Dimensions</i>	Standard
☐	Omit TB3 Back Support. <i>Includes omit of TRU-Comfort 2 back cushion and lateral wedges.</i>	-£50
☐	Privacy Flap. <i>12.75"W. Closes gap between back support and seat pan.</i>	£50
☐	Stealth Adapter Interface Plate SSAPT4. For mounting third party back supports to TB3 back system. <i>Not required for Q-Back 2.</i>	£358
☐	ADI Q-Back 2. <i>Skin protection, 4 way stretch, Coolcore cover. Mounts directly to TB3 system.</i>	POA
Enter ADI Q-Back 2 part number here for quotation.		

TB3 BACK SUPPORT POSTIONING

TRU-Balance 3 Static Back. <i>Angle can be preset manually.</i>	Standard
TRU-Balance 3 Flip-forward Back. <i>Not available with TB3 flip-back arm supports or powered recline. Not suitable for occupied transport.</i>	£150
TRU-Balance 3 Powered Recline. <i>175° with sheer reduction. Uses 1 power option.</i>	£700

BACK CANE ONLY SUPPORT

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Lateral Wedges. <i>Select size in Back Support Dimensions</i>	Standard
Omit TB3 Back Support. <i>Includes omit of TRU-Comfort 2 back cushion and lateral wedges.</i>	-£50
Privacy Flap. <i>12.75"W. Closes gap between back support and seat pan.</i>	£50
ADI Back Support. <i>Skin protection, 4 way stretch, Coolcore cover. Mounts to canes with cane clamps.</i>	POA
Enter ADI Back Support part number here for quotation	

Back Cane Only Support Positioning.	Tool Angle Adjustable. <i>85° to 120° in 5° increments.</i>				Standard
	Flip-forward Back Canes. <i>Not suitable for occupied transport or with Endo mounts.</i>				£200
	2" Endo Cane Mounts. <i>1" each side. Reduces back width by 2".</i>				£40
	4" Endo Cane Mounts. <i>2" each side. Reduces back width by 4".</i>				£40
Back Cane Height. <i>From seat pan.</i>	16"H	17 "H	18 "H	19 "H	20 "H
	21 "H	22 "H	23 "H	24 "H	25 "H

BACK SUPPORT DIMENSIONS

Compatible with TB3 and Back Canes options above. Ignore Back Support Dimensions if omit back support is selected in TB3 or Back Canes sections. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected.

Back Support Width Package.	12"-14"W	14"-16"W	16"-20"W
	18"-22"W	20"-24"W	

BACK WIDTH STATIC SEAT OR POWER TILT

	12"	14"	15"	16"	17"	18"	19"	20"	21"	22"	24"
14"	T										
15"	T										
16"	S	S	T	S	T	S	T	S	T	S	T
17"	S	S	T	S	T	S	T	S	T	S	T
18"		S	T	S	T	S	T	S	T	S	T
19"		S	T	S	T	S	T	S	T	S	T
20"		S	T	S	T	S	T	S	T	S	T
21"		S	T	S	T	S	T	S	T	S	T
22"		S	T	S	T	S	T	S	T	S	T
23"		S	T	S	T	S	T	S	T	S	T
24"		S	T	S	T	S	T	S	T	S	T
25"		S	T	S	T	S	T	S	T	S	T
26"		S	T	S	T	S	T	S	T	S	T
27"		S	T	S	T	S	T	S	T	S	T
28"		S	T	S	T	S	T	S	T	S	T
29"		S	T	S	T	S	T	S	T	S	T

BACK WIDTH POWER RECLINE

	12"	14"	15"	16"	17"	18"	19"	20"	21"	22"	24"
19"	S	S	T	S	T	S	T	S	T	S	T
20"	S	S	T	S	T	S	T	S	T	S	T
21"		S	T	S	T	S	T	S	T	S	T
22"		S	T	S	T	S	T	S	T	S	T
23"		S	T	S	T	S	T	S	T	S	T
24"		S	T	S	T	S	T	S	T	S	T
25"		S	T	S	T	S	T	S	T	S	T
26"		S	T	S	T	S	T	S	T	S	T
27"		S	T	S	T	S	T	S	T	S	T
28"		S	T	S	T	S	T	S	T	S	T
29"		S	T	S	T	S	T	S	T	S	T
30"		S	T	S	T	S	T	S	T	S	T
31"		S	T	S	T	S	T	S	T	S	T
32"		S	T	S	T	S	T	S	T	S	T

T

Tru-Comfort 2

S

Sport Back

Q

ADI/Q-Back 2

ARM SUPPORTS

	2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i>				Standard				
	Single Post Drop-in Removable. <i>Adjustment range 11"-17" from seat pan. Minimum seat depth 14".</i>				FOC				
	Paediatric Single Post Drop-in Removable. <i>Adjustment range 7.75"- 9.75" from seat pan. 10" pads only.</i>				FOC				
	TB3 Flip-back. <i>Adjustment range 8"-16" from seat pan. Includes lateral in/out adjustment.</i>				£350				
	Down Posts for TB3 Flip-back. <i>Only with TB3 Flip-back arm supports. Minimum seat/back width 16".</i>				£100				
Arm Support Pads.		10" Standard	STD		10" Waterfall. <i>Not with Std flip-up or TB Flex.</i>	FOC		10" Falcon Gel	£40
		14" Standard	FOC		14" Waterfall. <i>Not with Std flip-up or TB Flex.</i>	FOC		14" Falcon Gel	£40
		17" Standard. <i>TB3 only.</i>		£50				Falcon Gel Mounting Plates. <i>Required for 2-post, Single Post & Paediatric arm supports</i>	£40
		<i>Minimum seat depth 16"</i>							

CENTRE MOUNTED LEG SUPPORTS

	Manually Adjustable Centre Mount Foot Platform. <i>Minimum seat width 14".</i>				Standard	
	Paediatric Adj. Centre Mount Foot Platform. <i>12"-14" seat widths only.</i>				FOC	
	Power Elevating Articulating Centre Mount Foot Platform. <i>Minimum seat width 14". Uses 1 power option.</i>				£950	
Lower Leg Extensions. <i>From seat pan.</i>	 8"-12". <i>Paediatric centre mount only.</i>	FOC	 10"-16". <i>Manually adj. & powered elevating only.</i>	STD	 13"-19". <i>Manually adj. & powered elevating only.</i>	FOC
Foot Supports	 10"W x 8"D Split Foot Supports.	FOC	 10"W x 11"D Split Foot Supports.	Standard <i>Not available with paediatric centre mount.</i>		
Calf Support.	 Individual Calf Pads. <i>6"W x 6"H.</i>	Standard	}	 Calf Panel. <i>18"W x 8"H.</i>	£42	
	 Foam Calf Pad Covers.	£42		 Foam Calf Panel Cover.	£62	
Footplate Accessories.	 4" Width Extension Kit. <i>Not available with 2" length kit or 10"W x 6"D footplates.</i>				£16	
	 2" Length Extension Kit. <i>Not available with 4" width kit or 10"W x 6"D footplates.</i>				£16	
	 Footplate Connector.	£10	 Outer Edge Supports.	£10		
	 Wheel Bumpers.	£10			Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information.	

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information.

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

	60° to 90° Tool Adjustable Swing-away Leg Supports. <i>Select lowers and footplates below. Minimum seat width 15".</i>						£110
60° TO 90°	Lower Leg Extensions. <i>From seat pan.</i>	 11"-13"	FOC	 13"-16.5"	Standard	 15.5"-19.5"	FOC
	Angle & Depth Adj.	 4"W x 6"D	FOC	 5"W x 6"D	FOC	 5"W x 8"D	FOC
	Foot Support Size.	 6"W x 8"D	STD	 6"W x 11"D	FOC	 8"W x 11"D	FOC
	Accessories.	 Wheel Bumpers					£10
	Manual Elevating Articulating Swing-away Leg Supports. <i>Includes calf pads.</i>						£700
	Power Elevating Articulating Swing-Away Leg Supports. <i>Includes calf pads.</i>						£850
ELEVATING ARTICULATING	Lower Leg Extensions. <i>From seat pan.</i>	 9"-15"	FOC		 13"-21"	Standard	
	Foot Support Type.	 Angle Adjustable Flip-up. <i>Select size below.</i>					Standard
	Foot Support Size. <i>Includes heel loops.</i>	 4"W x 6"D. <i>14" seat widths and above.</i>	FOC	 5"W x 7"D. <i>16" seat widths and above.</i>	FOC	 6"W x 8"D. <i>18" seat widths and above.</i>	FOC
	Accessories.	 Wheel Bumpers	£10		 Gel Padded Knee Adductors	£60	
	Powered Leg Support Operation Method.	 Independent. <i>Uses 2 power options.</i>			 Combined. <i>Uses 1 power option.</i>		
LIMB SUP	Stealth Residual Limb Support (each). <i>Includes a 60-90° Swing-away legrest hanger for mounting.</i>		LEFT	 £300	Limb Support	£300	RIGHT

Certain configurations may result in reduced ground clearance below foot supports. Contact Quantum Technical for information.

STEALTH HEAD SUPPORTS

UniLink 8" Comfort Plus. <i>UHB3D33200 / CP08CCFPM.</i>	£322
UniLink 10" Comfort Plus. <i>UHB3D33200 / CP10CCFPM.</i>	£322
UniLink 14" Comfort Plus. <i>UHB3D33200 / CP14CCFPM.</i>	£322
UniLink 14" Adjustable Comfort Plus. <i>UHB3D33200 / ACP150M.</i>	£434

Please visit stealthproducts.com for alternative head supports.

STEALTH TRUNK SOLUTIONS

UniLink Thoracic Lateral Supports. <i>Supplied as a pair.</i>		Lateral Thoracic Swing-away Hardware.	£444		Additional 1.5" Link (each).	£54						
		3" H x 5" L Curved Lateral Pad.	£84		Additional 2" Link (each).	£54						
		4" H x 6" L Curved Lateral Pad.	£84		Additional 3" Link (each).	£54						
4-Point Harness.		Extra Small	£143		Classic	STD*		Dynamic	STD*		Vinyl Face	FOC
		Small	£143		Contoured	FOC		Structured	FOC		Zipper Face**	FOC
		Medium	£143									**Classic Only.
		Large	£143									
		Extra Large	£143									
Chest Strap.		Extra Small	£91		Small	£91		Side Release	Standard			
		Medium	£91		Large	£91		Velcro Release	£20			
		Extra Large	£91									

*STD = Standard option.

STEALTH PELVIC & THIGH SOLUTIONS

UniLink Thigh Supports.	LEFT		£185	UniLink Hip Guide Long Removable.	£185		RIGHT							
			£185	Unilink Hip Guide Short Removable.	£185									
			£51	4x4 Pelvic Thigh Pad.	£51									
			£51	4x8 Pelvic Thigh Pad.	£51									
			£51	4x12 Pelvic Thigh Pad.	£51									
Knee Adductors.	LEFT		£163	Fixed Cane Mounted.	£163		RIGHT							
			£179	Swing-away Track Mounted.	£179									
			£38	3" Round Knee Pad.	£38									
			£38	4" Round Knee Pad.	£38									
Pelvic Belts.		Auto Buckle Lap Belt, Push Button Release.					Standard							
		Retractable Lap Belt, Push Button Release.					£169							
Stealth Positioning 2-Point Padded Pelvic Belt.		Extra Small	£84		Small	£84	}		Single Pull	STD*	}		Side Release	STD*
		Medium	£84		Large	£84			Dual Pull	FOC			Push Button	FOC
		Extra Large	£84						Rear Pull	FOC				
Stealth Positioning 4-Point Linear Padded Pelvic Belt, Single Pull.					Extra Small	£143			Small	£143			Push Button	STD*
					Medium	£143			Large	£143			Side Release	£21
Medial Supports (Pommels).		Fixed Flip-down Hardware. <i>MTHW-660M.</i>					£189		Small Wedge. <i>MTMD-12M.</i>					£108
		Medium Wedge. <i>MTMD-13M.</i>					£108		Large Wedge. <i>MTMD-14M.</i>					£108
		Adjustable Wedge. <i>MTMD-42M.</i>					£209							

Please visit stealthproducts.com for alternative lateral, pelvic & lower extremity solutions *STD = Standard option

NON-EXPANDABLE CONTROLS

	QLNES Controls. <i>With no power options.</i>	Standard
	QLNES Controls. <i>3 power option ready.</i>	£125
	VR2 Controls. <i>With no power options.</i>	Standard
	VR2 Controls. <i>2 power option ready.</i>	£125
Control Method.	Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	Attendant Control. <i>Hand control mounted at rear.</i>	£100
	Dual Controls. <i>Hand control and secondary attendant control at rear.</i>	£430

EXPANDABLE CONTROLS

	Q-Logic 3e Controls. <i>No power options.</i>	£300
	Q-Logic 3e Controls. <i>3 power option ready.</i>	£350
	Q-Logic 3e Controls. <i>5 power option ready.</i>	£500
	Q-Logic 3 EX Controls. <i>No power options. Includes free XLR Charger Port.</i>	£350
	Q-Logic 3 EX Controls. <i>3 power option ready. Includes free XLR Charger Port.</i>	£375
	Q-Logic 3 EX Controls. <i>5 power option ready. Includes free XLR Charger Port.</i>	£550
	Q-Logic 3 Enhanced Display. <i>Includes 2 egg switches & flexible display mount. Not available with 3e controls.</i>	£1,074
	SCIM Module Kit. <i>Allows Q-Logic 3 EX joystick display to be used for speciality controls. Not available with 3e controls.</i>	£316

iAccess OLED 4 Button Switch Module. <i>Mounted to opposite armrest unless specified. Supplied FOC when ilevel is selected.</i>	£300	Push Button iAccess Toggle Lever iAccess	If iAccess is selected choose either Push Button or Toggle lever option.
--	------	---	---

	R-Net Controls. <i>No power options.</i>	£350
	R-Net Controls. <i>5 power option ready.</i>	£550
	Omni 2 Displays. <i>Includes 2 egg switches & flip-down display mount.</i>	£1,074
Control Method.	Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	Omit Hand Control. <i>Often selected when ED or Omni 2 is used as master remote with special device.</i>	-£100
	Attendant Control. <i>Hand control mounted at rear.</i>	£100
	Dual Controls. <i>Hand control and secondary attendant control at rear.</i>	£430

Please visit stealthproducts.com for alternative control options such as mini joysticks, head arrays & switches.

HAND CONTROL MOUNTS

	Fixed.						Standard			
	Swing-away.						£75			
	Advanced Swing-away. <i>Swings in & out with height, tension and pivot adjustment.</i>						£100			
Mounting Position.			Left	FOC		Right	Standard			
Hand Control Joystick Handle.			Standard Carrot	STD		T-Bar	£35		Extended I-Handle	£35
			Mushroom	£35		Medium Ball	£35		3" Goal Post	£50
			Chin Cup	£35		Soft Ball	£35		4" Goal Post	£50

SPEED PROGRAM & LIGHTS PACKAGE

	4 Mph Program. <i>Lights and indicators not included.</i>	Standard
	4 Mph Program with Lights and indicators.	£450
	6 Mph Program with Lights and indicators.	£450
	Lights & Indicator Surcharge. <i>Required if no power options have been selected.</i>	£260
	LED Fender Lights. <i>Includes single switch button mounted to side rail. Not road legal.</i>	Standard
	Omit LED Fender Lights.	FOC

ACCESSORIES

Scoot Control System for Q-Logic 3 (SUBD9). <i>Includes Scoot mounting hardware and Q-accessory bar. SCIM or Enhanced Display required to connect.</i>	£3245
Scoot Control System for R-Net. <i>Includes Scoot mounting hardware and Q-accessory bar. Connects to the bus.</i>	£2955
USB Mobile Device Charger. <i>Only available with QLNES and Q-Logic 3.</i>	£110
Cup Holder.	£20
Personal Item Hook (each). <i>Not with back cane option.</i>	£15
Mobile Phone Holder. <i>Only with TB3 arm supports.</i>	£40
Back Pack Holders. <i>Not with back cane option.</i>	£30
Clothes Guards. <i>Only with TB3 arm supports.</i>	£100
Glove Box. <i>Supplied uninstalled.</i>	£30
Hydration System.	£125
Oxygen Holder.	£50
Quick Release Transfer Bars.	£125
Stealth Tablet Holder.	£342
Push Handles. <i>Not with back cane option.</i>	£50
Accessory Bar.	£50
Back-up Camera with Gooseneck Mount. <i>Mounted on opposite arm to hand control. Only available with QLNES and Q-Logic 3.</i>	£300
Back-up Camera with Hand Control Mount. <i>Mounted to the front of the hand control. Only available with QLNES and Q-Logic 3.</i>	£300
Quantum Back Pack.	£110
Additional XLR USB Charger Port.	£17
Magnetic to XLR Charger Adapter. <i>Only available with QLNES and Q-Logic 3e.</i>	£49
Swing-Away Tray Table. <i>Supplied with relevant matching cut-out for joystick, or no cut out if attendant control only.</i>	£379
Remote Stop Switch. <i>Only available with QLNES and Q-Logic 3. Operates up to 20 feet behind the powerchair.</i>	£450

NOTES & SPECIAL REQUESTS

PRICE

EDGE 3 STRETTO WITH TB3 SEATING



BASE PRICE **£6,550**

COST OPTIONS

TOTAL

7



Quantum®
32 Wedgwood Road, Bicester,
Oxon, OX26 4UL
Phone: 01869 324600
Fax: 01869 323070
Email: sales@quantumrehab.co.uk
Web: www.quantumrehab.co.uk
RETAIL UK - 01/11/25 V2

